

60 - 180 kg

Fork/Bracket/Housing










Bracket made of pressed steel, white zinc plated, double ball bearing swivel head, plastic dustguard, wheel axle with bolt and nut

Wheel: SPR

Wheel centre made of pressed steel, black rubber tyre (85 Shore A), without threadguards, plastic bearing












Swivel Castor

| |  mm |  mm |  mm |  mm |  mm |  mm |  gr |  kg |  |
|---------------|--|--|--|---|--|--|--|--|---|
| EM 01 SPR 80 | 80 | 25 | 106 | 85x100 | 60x80 | 2 | 695 | 60 | + |
| EM 01 SPR 100 | 100 | 30 | 127 | 85x100 | 60x80 | 2 | 835 | 75 | + |
| EM 01 SPR 125 | 125 | 37,5 | 157 | 85x100 | 60x80 | 2,5 | 1240 | 110 | + |
| EM 01 SPR 150 | 150 | 40 | 181 | 85x100 | 60x80 | 2,5 | 1523 | 130 | + |
| EM 01 SPR 200 | 200 | 50 | 242 | 115x141 | 80x105 | 3 | 3214 | 180 | S |












Swivel Castor/Brake

| |  mm |  mm |  mm |  mm |  mm |  mm |  gr |  kg |  |
|-----------------|--|--|--|---|--|--|--|--|---|
| EM 01 SPR 80 F | 80 | 25 | 106 | 85x100 | 60x80 | 2 | 852 | 60 | + |
| EM 01 SPR 100 F | 100 | 30 | 127 | 85x100 | 60x80 | 2 | 994 | 75 | + |
| EM 01 SPR 125 F | 125 | 37,5 | 157 | 85x100 | 60x80 | 2,5 | 1407 | 110 | + |
| EM 01 SPR 150 F | 150 | 40 | 181 | 85x100 | 60x80 | 2,5 | 1685 | 130 | + |
| EM 01 SPR 200 F | 200 | 50 | 242 | 115x141 | 80x105 | 3 | 3498 | 180 | S |



Fixed Castor

| |  mm |  mm |  mm |  mm |  mm |  mm |  gr |  kg |  |
|---------------|--|--|--|---|--|--|--|--|---|
| EM 02 SPR 80 | 80 | 25 | 106 | 85x100 | 60x80 | 1,5 | 395 | 60 | + |
| EM 02 SPR 100 | 100 | 30 | 127 | 85x100 | 60x80 | 1,5 | 535 | 75 | + |
| EM 02 SPR 125 | 125 | 37,5 | 157 | 85x100 | 60x80 | 2 | 970 | 110 | + |
| EM 02 SPR 150 | 150 | 40 | 181 | 85x100 | 60x80 | 2 | 1235 | 130 | + |
| EM 02 SPR 200 | 200 | 50 | 242 | 115x141 | 80x105 | 3 | 3005 | 180 | S |

Options

Options available to order SMR wheel.

 80-100-125-150-200 [mm]



Wheel: SMR

Wheel centre made of pressed steel, black rubber tyre (85 Shore A), without threadguards, roller bearing

Fork/Bracket/Housing

Bracket made of pressed steel, white zinc plated, double ball bearing swivel head, plastic dustguard, wheel axle with bolt and nut

Wheel: SPR

Wheel centre made of pressed steel, black rubber tyre (85 Shore A), without threadguards, plastic bearing

160 - 180 kg



| Swivel Castor | mm | mm | mm | mm | mm | mm | gr | kg | |
|---------------|-----|------|-----|----|----|-----|------|-----|---|
| EM 03 SPR 80 | 80 | 25 | 106 | 22 | 40 | 2 | 710 | 60 | + |
| EM 03 SPR 100 | 100 | 30 | 127 | 22 | 40 | 2 | 847 | 75 | + |
| EM 03 SPR 125 | 125 | 37,5 | 157 | 22 | 50 | 2,5 | 1289 | 110 | + |
| EM 03 SPR 150 | 150 | 40 | 181 | 22 | 50 | 2,5 | 1562 | 130 | + |
| EM 03 SPR 200 | 200 | 50 | 242 | 22 | 60 | 3 | 3183 | 180 | S |



| Swivel Castor/Brake | mm | mm | mm | mm | mm | mm | gr | kg | |
|---------------------|-----|------|-----|----|----|-----|------|-----|---|
| EM 03 SPR 80 F | 80 | 25 | 106 | 22 | 40 | 2 | 868 | 60 | + |
| EM 03 SPR 100 F | 100 | 30 | 127 | 22 | 40 | 2 | 1007 | 75 | + |
| EM 03 SPR 125 F | 125 | 37,5 | 157 | 22 | 50 | 2,5 | 1453 | 110 | + |
| EM 03 SPR 150 F | 150 | 40 | 181 | 22 | 50 | 2,5 | 1731 | 130 | + |
| EM 03 SPR 200 F | 200 | 50 | 242 | 22 | 60 | 3 | 3396 | 180 | S |



| Swivel Castor | mm | mm | mm | mm | mm | gr | kg | |
|---------------|-----|------|-----|----|-----|------|-----|---|
| EM 04 SPR 80 | 80 | 25 | 106 | 12 | 2 | 559 | 60 | + |
| EM 04 SPR 100 | 100 | 30 | 127 | 12 | 2 | 736 | 75 | + |
| EM 04 SPR 125 | 125 | 37,5 | 157 | 12 | 2,5 | 1147 | 110 | + |
| EM 04 SPR 150 | 150 | 40 | 181 | 12 | 2,5 | 1420 | 130 | + |
| EM 04 SPR 200 | 200 | 50 | 242 | 12 | 3 | 2989 | 180 | S |



| Swivel Castor/Brake | mm | mm | mm | mm | mm | gr | kg | |
|---------------------|-----|------|-----|----|-----|------|-----|---|
| EM 04 SPR 80 F | 80 | 25 | 106 | 12 | 2 | 755 | 60 | + |
| EM 04 SPR 100 F | 100 | 30 | 127 | 12 | 2 | 895 | 75 | + |
| EM 04 SPR 125 F | 125 | 37,5 | 157 | 12 | 2,5 | 1313 | 110 | + |
| EM 04 SPR 150 F | 150 | 40 | 181 | 12 | 2,5 | 1589 | 130 | + |

Options

Options available to order SMR wheel.

80-100-125-150-200 (mm)



Wheel: SMR

Wheel centre made of pressed steel, black rubber tyre (85 Shore A), without threadguards, roller bearing

160 - 180 kg

Fork/Bracket/Housing









Bracket made of pressed steel, white zinc plated, double ball bearing swivel head, plastic dustguard, wheel axle with bolt and nut

Wheel: SPR

Wheel centre made of pressed steel, black rubber tyre (85 Shore A), without threadguards, plastic bearing







Swivel Castor

| |  mm |  mm |  mm |  mm |  mm |  mm |  gr |  kg |  |
|---------------|--|--|--|---|--|--|--|--|---|
| EM 05 SPR 80 | 80 | 25 | 106 | M16-5/8 | 30 | 2 | 717 | 60 | + |
| EM 05 SPR 100 | 100 | 30 | 127 | M16-5/8 | 30 | 2 | 854 | 75 | + |
| EM 05 SPR 125 | 125 | 37,5 | 157 | M16-5/8 | 30 | 2,5 | 1266 | 110 | + |
| EM 05 SPR 150 | 150 | 40 | 181 | M16-5/8 | 30 | 2,5 | 1539 | 130 | + |
| EM 05 SPR 200 | 200 | 50 | 242 | M16-5/8 | 35 | 3 | 3112 | 180 | S |












Swivel Castor/Brake

| |  mm |  mm |  mm |  mm |  mm |  mm |  gr |  kg |  |
|-----------------|--|--|--|---|--|--|--|--|---|
| EM 05 SPR 80 F | 80 | 25 | 106 | M16-5/8 | 30 | 2 | 874 | 60 | + |
| EM 05 SPR 100 F | 100 | 30 | 127 | M16-5/8 | 30 | 2 | 1014 | 75 | + |
| EM 05 SPR 125 F | 125 | 37,5 | 157 | M16-5/8 | 30 | 2,5 | 1432 | 110 | + |
| EM 05 SPR 150 F | 150 | 40 | 181 | M16-5/8 | 30 | 2,5 | 1708 | 130 | + |
| EM 05 SPR 200 F | 200 | 50 | 242 | M16-5/8 | 35 | 3 | 3225 | 180 | S |












Swivel Castor

| |  mm |  mm |  mm |  mm |  mm |  mm |  gr |  kg |  |
|---------------|--|--|--|---|--|--|--|--|---|
| EM 07 SPR 80 | 80 | 25 | 106 | 1-2-3-4-5 | 70 | 2 | 752 | 60 | + |
| EM 07 SPR 100 | 100 | 30 | 127 | 1-2-3-4-5 | 70 | 2 | 905 | 75 | + |
| EM 07 SPR 125 | 125 | 37,5 | 157 | 1-2-3-4-5 | 70 | 2,5 | 1299 | 110 | + |
| EM 07 SPR 150 | 150 | 40 | 181 | 1-2-3-4-5 | 70 | 2,5 | 1606 | 130 | + |



Swivel Castor/Brake

| |  mm |  mm |  mm |  mm |  mm |  mm |  gr |  kg |  |
|-----------------|--|--|--|---|--|--|--|--|---|
| EM 07 SPR 80 F | 80 | 25 | 106 | 1-2-3-4-5 | 70 | 2 | 917 | 60 | + |
| EM 07 SPR 100 F | 100 | 30 | 127 | 1-2-3-4-5 | 70 | 2 | 1061 | 75 | + |
| EM 07 SPR 125 F | 125 | 37,5 | 157 | 1-2-3-4-5 | 70 | 2,5 | 1466 | 110 | + |
| EM 07 SPR 150 F | 150 | 40 | 181 | 1-2-3-4-5 | 70 | 2,5 | 1743 | 130 | + |

Options

Options available to order SMR wheel.

 80-100-125-150-200 [mm]








Wheel: SMR

Wheel centre made of pressed steel, black rubber tyre (85 Shore A), without threadguards, roller bearing



Expanders: Square/Round

- 1-  21-24 [mm]
- 2-  27-30 [mm]
- 3-  20-25 [mm]
- 4-  25-30 [mm]
- 5-  35-40 [mm]